



## HOUSE DOOR COLLECTION

Take a step into the world of strength, style and security with our **PANADOR** collection of doors based on PVC profile systems with various overlays: in the classic style - with PVC sandwich panels, and in the modern style - with metal overlays.



# PVC PANEL GLS PANADOR



**RAL 9016**  
WHITE

**58L-2**  
ANTHRACITE  
GREY R

**89L-2**  
GOLDEN OAK R

**25L-2**  
NUSSBAUM R9

**23L-2**  
DARK OAK

**27L-2**  
MAHOAGANY R


Entrance doors Panador-Window with improved sandwich panel, glued double-glazed windows and stainless steel moldings.

## TECHNICAL SPECIFICATIONS

System	Framex 71	Framex 80
Filling thickness	32, 42 mm	44, 50 mm
Filling	PVC sandwich panel	
Insulating Glass Unit	1-chamber, 2-chamber	
Lock	multi-point	
Hinges	overhead/roller, 3-section	
Threshold	universal	
Handle	push-up/office	



AVAILABLE **VARIATIONS OF DESIGNS** FOR DOORS PVC PANEL WINDOW **PANADOR** AND STEEL PANEL **PANADOR**



# STEEL PANEL PANADOR



BASIC COLOR

**RAL 9016**  
WHITE

POWDER-COATED SASH

**RAL 7016 S**  
ANTHRACITE

FRAME LAMINATION

**59S-2**  
ANTHRACITE  
GREY

POWDER-COATED SASH

**RAL 9005 S**  
BLACK

FRAME LAMINATION

**110S-2M**  
COOLBLACK  
MATT 9915

The panel is made of 1 mm powder-coated stainless steel, has double-sided Elegant overlay panels, a multi-chamber profile system with a thermal break threshold, provides high thermal insulation and energy saving, and the double-glazed windows diffuse light while maintaining privacy.

## TECHNICAL SPECIFICATIONS

System	Framex 71	Framex 80
Stainless steel overlays		1 mm
Filling thickness	71 mm	80 mm
Filling		steel panel
Insulating Glass Unit		3-chamber
Filling - polystyrene foam	71 mm	80 mm
Decor		stainless molding
Lock		multi-point
Hinges		3D (rebate)
Threshold		aluminum with thermal insert
Handle		push/office



AVAILABLE **VARIATIONS OF DESIGNS** FOR DOORS PVC PANEL WINDOW **PANADOR** AND STEEL PANEL **PANADOR**



# PVC PANEL PANADOR



**RAL 9016**  
WHITE

**58L-2**  
ANTHRACITE  
GREY R

**89L-2**  
GOLDEN OAK R

**25L-2**  
NUSSBAUM R9

**23L-2**  
DARK OAK

**27L-2**  
MAHOAGANY R

Filling – sandwich panel or double-glazed window, built into the door leaf profile, it is possible to use an impost. Reliable, comfortable to use, economical.

## TECHNICAL SPECIFICATIONS

Set	basic
System	<b>Framex 71</b>
Filling thickness	24, 32, 42 mm
Filling	PVC sandwich panel/HPL panel
Insulating Glass Unit	1-chamber, 2-chamber
Lock	single-point/latch/multi-point
Hinges	overhead/roller
Threshold	universal
Handle	push-button/office



## AVAILABLE VARIATIONS OF DESIGNS FOR PVC PANEL PANADOR DOORS

